AMENDMENTS TO THE CLAIMS

Claim 1. (Currently amended) A composition, comprising a siloxane resin having the formula:

$$(HSiO_{3/2})_a(SiO_{4/2})_b(HSiX_{3/2})_c(SiX_{4/2})_d$$

wherein each X is independently -O-, -OH, or -O-(CH₂)_m-Z_n, provided at least one X is -O-(CH₂)_m-Z_n, wherein each m is independently an integer from 1 to about 5, Z is an aromatic moiety, and each n is independently an integer from 1 to about 6;

0 < a < 1, 0 < b < 1, 0 < c < 1, 0 < d < 1, 0 < d < 0, 0, 0, 0, 0, 0, 0, 0 < (c + d) < 0.4, and a + b + c + d = 1.

Claim 2. (Canceled)

- Claim 3. (Original) The composition of claim 1, wherein each X is independently -O-, -OH, or -O-(CH₂)- Z_3 , provided at least one X is -O-(CH₂)_m- Z_3 .
- Claim 4. (Original) The composition of claim 3, wherein -(CH₂)_m-Z₃ is a 9-anthracene methylene moiety.
- Claim 5. (Original) The composition of claim 1, further comprising an organic solvent.
- Claim 6. (Original) The composition of claim 5, wherein the organic solvent is 2-ethoxyethanol, 1-methoxy-2-propanol, or propylene glycol monoether.
- Claim 7. (Currently amended) A method for preparing a dyed siloxane resin composition according to claim 1, comprising:
- (i) reacting a trialkoxysilane, a tetraalkoxysilane, and water, in the presence of a hydrolysis catalyst, to form a first siloxane resin having HSiO_{3/2}, SiO_{4/2}, HSiX'_{3/2}, and SiX'_{4/2} units, wherein X' is independently -O- or -OH, and having substantially no silicon-carbon bonds; and

(ii) reacting the first siloxane resin with a compound having the formula $HO-(CH_2)_m-Z_n$, wherein each m is independently an integer from 1 to about 5, Z is an aromatic moiety, and each n is independently an integer from 1 to about 6, $0.3 \le a \le 0.7$, $0.3 \le b \le 0.7$, $0 \le (c+d) \le 0.4$, and a+b+c+d=1, to form the dyed siloxane resin composition.

Claim 8. (Original) The method of claim 7, wherein the hydrolysis catalyst is a base or an acid.

Claim 9. (Original) The method of claim 8, wherein the hydrolysis catalyst is a mineral acid.

Claim 10. (Original) The method of claim 7, wherein reacting step (ii) is performed at a temperature from about 25°C to about the boiling temperature of a reaction component and for a duration of about 10 min to about 60 min.

Claim 11. (Original) The method of claim 7, wherein reacting step (ii) is performed in the presence of a mineral acid.

Claim 12. (Original) The method of claim 7, wherein reacting steps (i) and (ii) are performed simultaneously.

Claim 13. (Original) A dyed siloxane resin composition, prepared by the method of claim 7.

Claim 14. (Currently amended) A method of preparing an anti-reflective coating on a substrate, comprising:

(i) coating a composition onto a substrate to form a coated substrate, wherein the composition comprises a siloxane resin having the formula $(HSiO_{3/2})_a(SiO_{4/2})_b(HSiX_{3/2})_c(SiX_{4/2})_d$, wherein each X is independently -O-, -OH, or -O-(CH_2)_m- Z_n , provided at least one X is $-O-(CH_2)_m$ - Z_n , wherein each m is independently an integer

from 1 to about 5, Z is an aromatic moiety, and each n is independently an integer from 1 to about 6; 0 < a < 1, 0 < b < 1, 0 < c < 1, 0 < d < 1 $0.3 \le a \le 0.7, 0.3 \le b \le 0.7, 0 \le (c + d) \le 0.4$, and a + b + c + d = 1; and

- (ii) curing the coated substrate, to form the anti-reflective coating on the substrate.
- Claim 15. (Original) The method of claim 14, wherein the curing step (ii) comprises heating the coated substrate at about 50°C to about 300°C for a duration of about 0.1 min to about 60 min.
- Claim 16. (Original) The method of claim 15, wherein the curing step (ii) comprises heating the coated substrate at about 150°C to about 275°C for a duration of about 1 min to about 5 min.
- Claim 17. (Original) The method of claim 15, wherein the curing step (ii) is performed under an inert atmosphere.
- Claim 18. (Original) The method of claim 17, wherein the inert atmosphere consists essentially of nitrogen.
- Claim 19. (Original) A semiconductor wafer, prepared according to the method of claim 14.